Royal A. Hanson, inventor Serial No. 10/056,186

Filed January 28, 2002

Page 2 of 12

In the Claims:

1.(original) A diffusion cell comprising:

a main housing having a receptor chamber, said receptor chamber having an

open top and a closed bottom, said receptor chamber adapted to contain a receptor liquid in

sufficient quantity to connect with said open top, a receptor liquid refilling port connecting

with said receptor chamber directly adjacent said closed bottom, a sampling port connecting

with said receptor chamber intermediate said open top and closed bottom but nearer said

open top;

a thin membrane mounted on said housing extending across said open top

effectively closing such;

a donor housing having a donor chamber connecting with said membrane, a

media to be supplied to said donor chamber and in contact with said membrane; and

a quick release clamping apparatus engaging with said donor housing

functioning to tightly press said donor housing onto said membrane and said main housing.

2.(currently amended) The diffusion cell as defined in Claim 1 wherein:

said sampling port including a capillary tube passage, the function of said

capillary tube passage to minimize the residual volume of a sample that has been extracted

through said sampling port.

Amendment to DIFFUSION CELL WITH QUICK RELEASE CLAMP Royal A. Hanson, inventor Serial No. 10/056,186 Filed January 28, 2002 Page 3 of 12

3.(currently amended) The diffusion cell as defined in Claim 1 wherein: said donor housing including a disc which includes has a center opening, said donor housing also including a cap which is mounted onto said disc, said donor chamber comprising being defined by said center opening.

4.(original) The diffusion cell as defined in Claim 3 wherein:

said cap including a viewing port, said viewing port to facilitate the physical examination of said membrane at said open top for the purpose of insuring that there are no air bubbles located at said open top in contact with said membrane.

5.(original) The diffusion cell as defined in Claim 1 wherein:

both said receptor liquid refilling port and said sampling port including a LUER fitting, said LUER fitting facilitating quick connection and disconnection with an appropriate liquid supply and/or discharge conduit.

Amendment to DIFFUSION CELL WITH QUICK RELEASE CLAMP Royal A. Hanson, inventor Serial No. 10/056,186 Filed January 28, 2002 Page 4 of 12

6.(original) The diffusion cell as defined in Claim 3 wherein:

said quick release clamping apparatus comprising a U-shaped clamp assembly which has an open cavity, said main housing to be located within said open cavity with one plate being mounted on said main housing and the remaining said plate being mounted against said cap, said one plate and said remaining plate being spring biased toward each other when installed on said main housing applying a continuous bias tending to keep said donor housing in tight connection with said main housing;

Royal A. Hanson, inventor

Serial No. 10/056,186

Filed January 28, 2002

Page 5 of 12

7.(currently amended) A diffusion cell comprising:

a main housing having a receptor chamber, said receptor chamber having an

open top and a closed bottom, said receptor chamber adapted to contain a receptor liquid in

sufficient quantity to connect with said open top, a receptor liquid refilling port connecting

with said receptor chamber directly adjacent said closed bottom, a sampling port connecting

with said receptor chamber intermediate said open top and closed bottom but nearer said

open top;

a thin membrane mounted on said housing extending across said open top

effectively closing such;

a donor housing having a donor chamber connecting with said membrane, a

media to be supplied to said donor chamber and in contact with said membrane; and

said sampling port including a capillary tube passage, the function of said

capillary tube passage to minimize the residual volume of a sample that has been extracted

through said sampling port.

8.(currently amended) The diffusion cell as defined in Claim 7 wherein:

said donor housing including a disc which includes has a center opening, said

donor housing also including a cap which is mounted onto said disc, said donor chamber

comprising being defined by said center opening.

Royal A. Hanson, inventor

Serial No. 10/056,186

Filed January 28, 2002

Page 6 of 12

9.(original) The diffusion cell as defined in Claim 8 wherein:

said cap including a viewing port, said viewing port to facilitate the physical examination of said membrane at said open top for the purpose of insuring that there are no air bubbles located at said open top in contact with said membrane.

10.(original) The diffusion cell as defined in Claim 7 wherein:

both said receptor liquid refilling port and said sampling port including a LUER fitting, said LUER fitting facilitating quick connection and disconnection with an appropriate liquid supply and/or discharge conduit.

Royal A. Hanson, inventor

Serial No. 10/056,186

Filed January 28, 2002

Page 7 of 12

11.(currently amended) A diffusion cell comprising:

a main housing having a receptor chamber, said receptor chamber having an

open top and a closed bottom, said receptor chamber adapted to contain a receptor liquid in

sufficient quantity to connect with said open top, a receptor liquid refilling port connecting

with said receptor chamber directly adjacent said closed bottom, a sampling port connecting

with said receptor chamber intermediate said open top and closed bottom but nearer said

open top;

a thin membrane mounted on said housing extending across said open top

effectively closing such;

a donor housing having a donor chamber connecting with said membrane, a

media to be supplied to said donor chamber and in contact with said membrane; and

said donor housing including a disc which includes has a center opening, said

donor housing also including a cap which is mounted onto said disc, said donor chamber

comprising being defined by said center opening.

12.(original) The diffusion cell as defined in Claim 11 wherein:

said cap including a viewing port, said viewing port to facilitate the physical

examination of said membrane at said open top for the purpose of insuring that there are no

air bubbles located at said open top in contact with said membrane.

Amendment to DIFFUSION CELL WITH QUICK RELEASE CLAMP Royal A. Hanson, inventor Serial No. 10/056,186 Filed January 28, 2002 Page 8 of 12

13.(original) The diffusion cell as defined in Claim 11 wherein:

both said receptor liquid refilling port and said sampling port including a LUER fitting, said LUER fitting facilitating quick connection and disconnection with an appropriate liquid supply and/or discharge conduit.